

Montageanleitung

Runder Feststehender Punktstrahler

Mounting instructions

Round fixed spotbulb

Instructions de montage

Spot à lampe rond fixe

Monteringsanvisning

Rund fast Spotlampa

Montagehandleiding

Ronde vaste spotlicht

Instrucciones de montaje


Lámpara spot redonda fija

Istruzioni di montaggio

Spot a lampada rotonda fissa

Asennusohje

Pyöreä kiinteä spotvalo



Lieferumfang
Kit includes
Fourniture

Leveransomfattning
Inhould set
Volumen del suministro


Dotazione di fornitura
Osaluettelo

A

1 x






1 x




2

2JA 343 985-...

3




4



Nicht im Lieferumfang enthalten
Not included with kit
Non forniti
Ingår ej i leveransen
Worden niet meegeleverd
No se incluyen en el suministro
Non in dotazione
Eivät kuulu toimitukseen



M max 1.5 Nm





3 X



***$\varnothing 3,0 \text{ mm}$
DIN 7981***

5




Lampenwechsel
Changing the bulb
Remplacement de la lampe

Glödlampsbyte
De gloeilamp vervangen
Cambio de lámparas


Sostituzione del tubo
lampeggiatore
Polttimon vaihto

6


1




2



3



4



*max W5W,
(Hella GP 003 594-511)*

Technische Daten		Runder Feststehender Punktstrahler	
Art.-Nr.	2JA-	343 985-...	
Eingangsspannung	12 V	24 V	
Stromverbrauch	5 W	5 W	
Materialien	Gehäuse: PC+ABS, Lichtscheibe: PC, Reflektor: PC, Rahmen: ASA oder Stahl		
IP Klasse	3X		

Technical Data		Round fixed Spotbulb	
Part No	2JA-	343 985-...	
Input voltage	12 V	24 V	
Power consumption	5 W	5 W	
Materials	Housing: PC+ABS, Lens: PC, Reflector: PC, Bezel: ASA or Steel		
IP Class	3X		

Données Techniques		Spot à lampe rond fixe	
Référence	2JA-	343 985-...	
Tension d'entrée	12 V	24 V	
Consommation	5 W	5 W	
Matériaux	Boîtier: PC+ABS, Voyant: PC, Réflecteur: PC, Enjoliveur: ASA ou Acier		
Classe IP	3X		

Teknisk Information		Rund fast spotlampa	
Artikelnr	2JA-	343 985-...	
Inspänning	12 V	24 V	
Effektförbrukning	5 W	5 W	
Material	Kåpa: PC+ABS, Lins: PC, Reflektor: PC, Infattning: ASA eller Stål		
IP klass	3X		

Technische Gegevens		Ronde vaste spotlicht	
Artikelnr.	2JA-	343 985-...	
Ingangsspanning	12 V	24 V	
Opgenomen vermogen	5 W	5 W	
Materialien	Huis: PC+ABS, Lens: PC, Reflector: PC, Glasring: ASA of Staal		
IP Klasse	3X		

Datos Técnicos		Lámpara spot redonda fija	
Nº de artículo	2JA-	343 985-...	
Tensión de entrada	12 V	24 V	
Consumo de corriente	5 W	5 W	
Materiales	Caja: PC+ABS, Lente: PC, Reflector: PC, Pantalla: ASA o Acero		
Clase IP	3X		

Dati Tecnici		Spot a lampada rotonda fissa
N. art.	2JA-	343 985-...
Tensione di ingresso	12 V	24 V
Assorbimento di potenza	5 W	5 W
Materiali	Scatola: PC+ABS, Lente: PC, Riflettore: PC, Cornice: ASA o Acciaio	
Classe IP	3X	

Tekniset Tiedot		Pyöreä kiinteä spotvalo
Tuotenro.	2JA-	343 985-...
Jännite	12 V	24 V
Teho	5 W	5 W
Materiaalit	Runko: PC+ABS, Lasi: PC, Heijastaja: PC, Kehys: ASA tai Teräs	
IP Luokka	3X	